Energy Vol. 50, 2013, pp. 160-169

Combustion vs. gasification for a demonstration CCS project in Italy: a techno-economic analysis

Alberto Pettinau^(*), Francesca Ferrara, Carlo Amorino

Sotacarbo S.p.A. - Grande Miniera di Serbariu, 09013 Carbonia, ITALY

Abstract

The need to reduce CO₂ emissions requires a great economical effort to optimize the processes and solve the main technical and economic problems which still limit a large-scale diffusion of this kind of carbon capture and storage (CCS) technologies.

In this paper, the main results of a techno-economic comparison between ultra supercritical pulverized coal combustion (USC) and integrated gasification combined cycle (IGCC) plants are presented. The Sulcis coal basin, considered as a reference location for the plant configurations here analysed, could represent a very important site to test carbon capture and storage technologies, being representative of a lot of potential storage site in the world.

For both USC and IGCC technologies, three different configurations have been compared: a configuration without CCS, a CO_2 -free configuration and an intermediate solution in which a demonstration CCS system is applied to only a portion of produced gas.

The analysis here presented shows that USC technology is slightly more profitable than IGCC if a configuration without CCS is considered, whereas IGCC is more profitable than USC for a CO_2 -free configuration. Due to the high CCS costs and to the specificity of the site, the investment is not profitable if not supported by an adequate incentive.

Keywords: Coal gasification; Ultra-supercritical plant; Carbon capture and storage; Sulcis coal

Paper available online on www.sciencedirect.com

email: apettinau@sotacarbo.it phone: +39 0781 670444 fax: +39 8781 670552